


Phantom Positioning Cradles



Phantom Cradle Features

- Eliminates need for wedges or tape
- Shorter setup time reduces personnel exposures
- Water-resistant foam*

1 NEMA IEC PET Body Phantom Cradle

- Designed to match tabletop dimensions making for reproducible phantom positioning
 - GE Discovery 690, 710, MI and MI DR (ds-ge-ph)
 - Philips Vereos (ds-ph-ver)
 - Siemens Biograph and Biograph mCT (ds-si-bio), Vision (ds-si-vis)

2 Jaszczak Flangeless SPECT and Esser PET Phantom Cradle (nmtk3)

- Designed to support phantom with minimal distance from tabletop surface

3 General Purpose Phantom Cradle (nmtk4)

- Maximum phantom diameter supported is 23 cm
- Support phantoms longer than the cradle length of 31 cm
- Straight bottom makes this cradle ideal for flat top tables

4 Jaszczak Flanged SPECT Phantom Cradle (nmtk6 and nmtk7)

- Cradle thickness slightly larger than flange dimension

5 Cardiac Phantom Cradle (nmtk8)

- Designed for cardiac mode scanning with off-center phantom positioning
- Well suited for GE Discovery 530c and GE Ventri scanners

6 CTDI 32cm Body Phantom Cradle (nmtk5)

- Makes body phantom alignment easy and accurate

*Densities range 42-65kg/cm³ each color represents a different density



QA Benchmark, LLC
1101 Resort Road #113 | Ellicott City, MD 21042
p. 443.980.6349
qabenchmark.com

